

T. 5450

PUGET SOUND AIR POLLUTION CONTROL AGENCY

ENGINEERING DIVISION
110 Union Street, Suite 500 = Seattle, WA 98101-2038

Telephone: (206) 689-4052

IAOr	ICA OF COL	12111	iction and	u A	plication	101.1	ipprovai
rop	M D Be sure to	o complete	items 39, 40, 41, & 43	before.		CY USE ON	
FUN		g Form P.		7 - 10 - 1	DATE	_ N/C NUM	
\$1	DE 1				REG. NO.	_VAR. NO	
. ,	···· × ····· ·			}	SIC. NO	COS. NO.	
			· · ·		GRID NO.	UTM	
1. TYPE OF	BUILDING (Check) 2. ST		D Altered D Relocation	7. APPLI	CANT		and and side
The second second	NY IDR OWNERI NAME		•	B. APPLI	CANT ADDRESS		
. Ash (Grove Cement Comp						<u> </u>
	NY TOR OWNER MAILING AT E. Marginal Way		ttle, WA 98134	9. INSTA	SAME	• • •	·
	or Business facturer of Portl	and Cem	ent	10. TYPE	OF PADCESS		,
PERIO	5-5-5-5-5-7-5-5-5-5-5-5-5-5-5-5-5-5-5-5						· · · · · · · · · · · · · · · · · · ·
	EQUIP EQUIPMEN	MENT IN C	ONLY NEW EQUIPMENT OLUMN 'NO. OF UNITS.	OR CHAI	NGES. ENTER NUMBER OF TE FORM 'S' FOR EACH E	NTRY.)	·
11, ND. OF UNITS	SPACE HEATERS OR BOILERS (Complete Form S-A)	14. NO. OF UNITS	OVENS	15. NO. OF UNIT		16, NO.	MELTING FURNACES
(a)		(a)	CORE BAKING OVEN	181	_ AREAS	(8)	POT
12. NO.	INCINERATORS -	1p)	PAINT BAXING .	101	BULK CONVEYOR	[b]	REVERBERATORY
OF UNITS	(Complete Form S-B)	(c)———	PLASTIC CURING	IC)	_ CLASSIFIER	(c)	ELECTRIC INDUC/RESIST
[8]		(d)	LITHO COATING OVEN	101	_ STORAGE BIN	(d)	CRUCIBLE
13. NO.	OTHER SYSTEMS	(e)	ORYER .	(e) <u></u>	_ BAGGING	(e)	CUPOLA
OF UNITS		(f)	ROASTER	(1)	OUTSIDE BULK STORAGE	(1)	ELECTRIC ARC
(4)	DEGREASING, SOLVENT	101	XILN .	(0) _ 1	LOADING OR UNLOADING	{p}	SWEAT
16}	ABRASIVE BLASTING	(עו	HEAT-TREATING	וחן	BATCHING	(u)	OTHER METALLIC
(c)	OTHER - SYSTEM	(1)	OTHER .	(0)	MIXER (SOLIOS).	(r)	GLASS.
(0)	<u> </u>	0)		ti) <u> </u>	OTHER	(1)	OTHERMON METALLIC .
17. NO. OF UNITS	GENERAL OPER, EQUIP,	17. NO. DF UNITS	GENERALOPER.EOUIP.	17. NO.	GENERAL OPER FOUR	18. NO. DF UNITS	OTHER EQUIPMENT
(a)	CHEMICAL MILLING	(f)	GALVANIZING	(4)	ASPHALT BLOWING	(a)	SPRAY PAINTING GUN
(6)	PLATING	(9!	IMPREGNATING	(1)	_ CHEMICAL COATING	(b)	SPRAY BOOTH OR ROOM
(c)	DIGESTER	(n	MIXING OR FORMULATING	(m	_ COFFEE ROASTER	(c)	FLOW COATING
(0)	DRY CLEANING	(1)	REACTOR	(n)	SAWS & PLANERS	[6]	FIBERGLASSING
(e)	FORMING OR MOLDING	(ı)	STILL	(0)	STORAGE TANK	iel	OTHER
	CONTRO	L DEVICES	COMPLETE A FORM		OUIPMENT IN SPACES IN (COLUMNS.	
19. NO.		20. NO.	20 EQILATORM	21. NO.		22. NO.	
OF UNITS	CONTROL DEVICE	OF UNITS	CONTROL DEVICE	OF UNITS	CONTROL DEVICE	DF UNITS	CONTROL DEVICE
a	SPRAY CURTAIN	(a)	AIR WASHER	(6)	ABSORRER	(6)	DEMISTER '
10)	CYCLONE	(b)	WET COLLECTOR	{b}	_ AOSORBER	10}	BAGHOUSE .
(c)	MULTIPLE CYCLONE	101	VENTURI SCRUBBER	(c)	FILTER PADS	ıc)	ELEC. PRECIPITATOR
(0)	INERTIAL COLL OTHER	(4)		١٥١	AFTERBURNER	101	OTHER
{Estimat	\$50,000	lEstim	\$23,000	up to	1,000 hr./yr.		Required, S
27. ESTIMA	TED STARTING DATE OF CO	NSTRUCTION		28. ESTIM	ATED COMPLETION DATE OF	CONSTRUCT	ION:
9. RAW MA	TERIALS (List starting ma	terial used in	Processi ANNUAL AMT.		UCTS (List End Products) .		ANNUAL PROD.
ANDFU	ELS (Type and amount)		י י י י		<u> </u>		UNITS
	et e tra		Jen 1	101			
61	<u> </u>			INT			
=1				12,	1 11 1 1 1 1		
701 - 1				14.	·		
Us pay .				1=1 .	<u> </u>		<u> </u>
			<u> </u>	iti			· ! · · · ·
0				10)	<u> </u>		<u> </u>

				FORM P	
	STACKS OR	VENTS (LIST NUMBE	R. TYPE, AND SIZE C	OF VENT)	*
31. NO.	DESCRIPTION	32. HEIGHT ABOVE	33. VOLUME	DIMENSIONS LINCH	ESI
F UNITS	l sa a a a succession of	GRADE IFT.)	EXHAUSTED	34. LENGTH (OR DIAM)	35. WIDTH
•)	STACKS		7		
b)	FLUES .				3.7.13 × 3.15
:)	PROCESS OR GENERAL EXHAUST	30' - 0'	1000	10 ¹¹	··· 10" a
5)	PROCESS OR GENERAL VENTS				
:)	SKYLIGHT OR WINDOW				
)	EXHAUST HOOD	•			
2)	OTHER .	FLOW DIAG	PAM		
	<u> </u>	FEOTI DIAG	n Airi		
(c) IF (d) IN (e) FL	OW FLOW DIAGRAM OF PROCESS STARTING MORE THAN DNE PROCESS IS INVOLVED TO DICATE ALL POINTS IN PROCESS WHERE GALLOW CHART CAN BE ATTACHED SEPARATELY OW PICKUP AND DISCHARGE POINTS FOR HAMMED SEPARATELY OF THE POINTS FOR THE	MAKE FINISHED PROC SEOUS OR PARTICULA Y IF NECESSARY, (DRA	DUCT, SHOW EACH PI TE POLLUTANTS AR WINGS MAYBE SUBN	ROCESS AND WHERE THEY MER E EMITTED.	
	The second secon		* * * * * * * * * * * * * * * * * * * *	e ett i i i i i i i et e giri	, det Mile es (
	Professional Contraction of the	1 - 1 - 1 - 1	Marker State	1	
· ·			77.2550		1 1787 3
	The server is a second of the server is a second of the server is a second of the seco	1.71.75.6.23	3 to 7 Attails	Total to a service of the second	
			. TO SMILEST (TRIE)	,	(
	1.7.1.	i. 1-11 : 11 i.			य । भग्निय अस्त स्टब्स् चित्रसम्बद्धाः
.					· ·
	SEE ATTA	ACHED	<u> </u>		
		<u> </u>		11 mm (C. 121)	· · · · · · · · · · · · · · · · · · ·
• •		100 le 100 marie		aran ta i i aari	
				*(A).	
		rection bear and a			
		,			، ، ، . شصحی ،ــــــ
		i			
	- , , , ,				• • •
1					
	<u></u>	1 ,	· · · · · · · · · · · · · · · · · · ·		
			· · · · ·		
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	·		
	i				
For For En	OF ATTACHMENTS AND ACCOMPANYING DATA IN R ITM S vironmental checklist rrative Description	General Arrange Flow Sheet Plot Plan Specifications		nission Estimate	الله الله الله الله الله الله الله الله
3B. CER	TIFICATION: 1. THE UNDERSIGNED, DO HEREBY CERTIFY TH NS. AND SUPPLEMENTAL DATA DESCRIBED HERE!	HAT THE INFORMATION C	ONTAINED IN THIS AP	PLICATION AND THE ACCOMPANY ATE AND COMPLETE.	ING FORMS.

PUGET SOUND AIR POLLUTION CONTROL AGENCY

Engineering Division I 110 Union Street, Room 500 Seattle, Washington 98101-2038 (206) 689-4052

NOTICE of CONSTRUCTION & APPLICATION for APPROVAL

FOR AIR POLLUTION CONTROL EQUIPMENT ONLY

FORM R

For Agency Use: Date:

*Note: Information required by Section 1a must be completed for this form to be accepted for review. 1/12 M3 1 14 1 15 M6 b. Company (or owner) Installation Address [] 8 [] 9 [] 10 [] 11 [] 12 d. Applicant c. Company (or owner) Name Ash Grove Cement Company g. Phone f. Prepared by (signature) e. Prepared by (name and title) b. Type of Equipment c. Make & Model d. Dimensions (LxWxH) a. AIR POLLUTION CONTROL EQUIPMENT Baghouse 74"x54"x33.5" DCL FS-175 e. Number of Units f. Capacity g. Auxiliary Equipment h. Connected to: 1000 CFM Loading Spout e. Shaking Cycle (auto or manual rapping or reverse air) Pulse @ 30 second intervals g. Air-to-Cloth Ratio (ft/minute) b. Number of Bags d. Cloth Area BAGHOUSE 172 sq. ft. 60 e. Material Used h. Connected to: Polypropylene Loading Spout b. Electrode Separation (ft) c. Coll. Electrode Dimensions LxW (II) d. Mean Velocity of Gas (It/sec) ELECTROSTATIC PRECIP. e. Area (sq ft) f. Voltage g. Coll. Electrode or Plate Area (sq ft) h. Connected to: b. Type of Burner, Fuel c. Make & Model d. Rating 5 BURNERS e. Number of Units; Ignition g. CFM Exhausted (Temperature) h. Connected to: b. Type of Vent c. Dimensions (LxWxH) d. Dampers -6 STACKS, VENTS c. No. of Vents; Material Used g. CFM Exhausted (Temperature) h. Connected to: b. Type of Flow (spray, bubbler) c. Packing Type/Size d. Pressure Drop (inches of water) **SCRUBBERS** e. Composition of Solution g. Flow Raic (GPM) h. Make-Up (GPM) b. Type of Fan (designate blade) c. Make & Model d. Motor Data _8 FANS HP 3600 RPM Paddle Wheel e. Number of Fans; Material Used | f. g. CFM Exhausted (Temp @ Sl') h. Connected to: (100 1000 (1) mild steel Baghouse Mounted on Baghouse b. Type of Cyclone | | Common d. Inlet Area (sq ft) c. Make & Model CYCLONES [] Split Duct [] Multiclone e. Number of Units; Material Used f. Body Dia. (in.) Outlet Dia. (in.) g. Body Height (in.) Efficiency h. Connected to: b. Description of Collected Mail. c. Amount Collected (lbs/day) d. l'anicle Size (microns avg.) COLLECTION DATA Cement Clinker Dust 40 Micron e. Types of Pollutants [] Gas g. Collection Efficiency h. Disposition of Collection Waste X Particulate [] Odor 99.99% To Rail Car b. Actual CFM 11 e. SCFM (Reg I Standard) d. Temperature (*F) Ambient GAS FLOW e. Pressure Drop g. Inlet and Outlet Pollutant Concentrations 1. Efficiency h. b. Allach Brochurd c. [Allach Plans/Specs a. ADDITIONAL DATA Attach Emission Estimate (show calculation) g. [] Submit Modeling Data Submit Narrative f. [] Submit Source Test Data Attach Schedule of Equipment Description of Process with Make, Model, Capacity j. [] k. [] 1.

rrocess cours meing wontrolled

PUGET SOUND AIR POLLUTION CONTROL AGENCY /
Engineering Division 110 Union Street, Suite 500 Seattle, Washington 98101-2038 (206) 689-4052
NOTICE of CONSTRUCTION & APPLICATION for APPROVAL

FOR BASIC PROCESS EQUIPMENT

FORM S

For Agency Use:
Date:

N/C#

Note: Information required by Section 1a must be completed for this form to be accepted for review. (J5 98134 []4 116 b. Company (or owner) Installation Address a. Complete the . 2 1 1/3 Sections Indicated [·]12 17 []8 [1]9 []10 [1]11 Ash Grove 3801 E. Marginal Wy. So., Seattle d. Applicant c. Company (or owner) Name Ash Grove Cement Company e. Prepared by (name and title) f. Prepared by (signature) g. Phone (206) 623-5596 Gerald J. Brown Safety & Env. Manager Rail Car d. Dimensions (LxWxH) 24"x6"-0" LG b. Title c. Make & Model * PROCESS EQUIPMENT Loading Spout DCL g. Auxiliary Equipment h. Connected to: e. # of Units; Rated Capacity ſ. Clinker 250 TPH (1) Reclaim Elevator d, ь. 3 6 ſ. g. Equipment h. Connected to: c. Make & Model d. Rated Capacity b. Type of Burner, Fuel BURNERS e. # of Units; Ignition Method g. CFM Exhausted (Temperature) h. Connected to: a. STACKS, VENTS, AND b, Type of Vent c. Dimensions d. EXHAUST OPENINGS e. # of Vents; Material of Construction g. CFM Exhausted (Temperature) h. Connected to: °F) 6 a TANKS AND KETTLES b. Type of Tank, Material c. Dimensions (LxWxH) in inches d. Surface Area (sq. ft.) [] Closed · [] Open c. # of Tanks; Material of Construction g. Auxiliary Equipment h. Connected to: b. Type of Fan (designate blade) c. Make & Model d. Motor Data FANS 3 3600 RPM HP Paddle Wheel DCL e. # of Fans; Material of g. CFM Exhausted (Temperature) h. Connected to: 1000 100 (1) Mild Steel Dust Collector b. Type of Oven or Furnace c. Make & Model 2 OVENS & FURNACES d. Rated Capacity e. # of Ovens or Furnaces; Material of Construction g. CFM Exhausted (Temperature) h. Connected to: b. Type of Operation a. OPERATIONAL DATA c. Operating Schedule (normal) d. Mode of Operations X Batch [] Continuous Shifts/Day: [X] 1 [X] 2 X 3 Manual [] Auto [] Semi-Auto e. Duration of Batch (hrs/batch) g. Daily # of Batches h. 3 1/2 hours avg max 10 CONVEYORS b. Type of Conveyor (pneumatic, bolt) c. Make & Model d. Capacity c. Dimensions (LxWxH) g. # of Pickups # of Discharge Points h. Connected to: _11 b. Actual CFM c. SCFM (Reg I Standard) d. Temperature (°F) GAS FLOW Out e. Pressure Drop f. Essiciency g. Inlet and Outlet Pollutant Concentrations h. a. ADDITIONAL DATA b. [] Altach Brochure d. [] Attach Emission Estimate c. [] Attach Plans/Specs (show calculation) e. M Sybmit Narrative [. [] Submit Source Test Data g. [] Submit Modeling Data h. [] Attach Schedule of Equipment Description of Process with Make, Model, Capacity I. [] j. [] k[] l. []

February 17, 1994

REF: RAILCAR LOADING SPOUT

The purpose of this project is to install a transfer spout for loading cement clinker into closed rail road hopper cars.

A diverter gate, chute and loading spout with an integral dust collector will be added onto an existing bucket elevator located on the south side of the clinker shed. The bucket elevator is currently used to transfer clinker stored in the shed to an elevated conveyer belt for transport to the clinker silos.

The diverter gate will as necessary, direct the flow of material at 250 TPH into the railcar loading spout. The clinker diverted into the spout is gravity feed into an awaiting railcar. The bucket elevator, diverter gate, chute and spout will enclose the clinker to prevent fugitive dust emission generated by material transfer.

The dust collector is an integral part of the loading spout and will clean and vent entrained air and air displaced from the railcar. Dedusting is by a 1000 CFM fabric filter. Fines collected will be discharged directly into the railcar.

PUGET SOUND AIR POLLUTION CONTROL AGENCY 110 Union Street, Suite 500 Seattle, Washington 98101 **ENVIRONMENTAL CHECKLIST**

WAIT - You may not need to fill out the attached checklist.
Please read and check the following:

Because of the State Environmental Policy Act, the action for which you are filing a Notice of Construction and Application

1.	I have	obtained	d a Stat	te, City o	r County Per	mit and fill	ed out an	environn	nental ch	ecklist.		
	ě			Yes	. ,	x	No					`.
	. If you	answere	d "yes"	, give Sta	ate, City or C	ounty Dep	artment a	nd date,	and attac	th a copy	y of the	checklist
									, , , , , , , , , , , , , , , , , , ,	i Hilling Hilling		
2.	An en	vironmer	ntal che	cklist or	assessment	has previo	usly been	filled ou	t for anot	her ager	ncy.	
	If "voo	* aho o		Yes	and attach	X	No No	o.t		• · .		
		. UIVH AL	JULIUV	mu uate.	and allach a	1 CODY OF I	ie checkii	SL.				
		, , , , , , , , , , , , , , , , , , , ,						· .				
your answer							ū	*	vironmer	ntal chec	klist.	
your answer						ı must fill o	ū	*	vironmer	ntal chec	klist.	
your answer					was "no", you	ı must fill o	ut the atta	*	vironmer	ntal chec	klist.	
your answer					was "no", you Prepared b	y must fill o	ut the atta	*	vironmer	ntal chec	klist.	

The North County of the

A translated 建设置 1950 (Color to 1951) in the translate of the color of the color proper

- Drage - Section

vocasa tradegas portuo Fold funcio i ducione progressi del progressi del progressi i regioni del progressi del pro

.....

. #57 innaison. A contract to the more than the first the first term of the first te

1 16 51 1 3 3 1 4 4 3 7 mm c. ne ta 7 AGCS2M002434

SEA0837

construction of	the plant is directly		
			ar and an artist of the second
			** *
	er applications are pending for property covered by your prop		
" NONE	× .		
- *	. E		
		* *	er d
			·
*** **		£ 9	
NONE	·		<u> </u>
	•		e *
	** * * * * * * * * * * * * * * * * * * *		197 E 228
(1.1) (2) (1.1)			
project and site. There	description of your proposal, in re are several questions later i osal. You do not need to repea	ncluding the pi	t that ask you to describe
project and site. Ther aspects of your propo The purpose of t	re are several questions later i	ncluding the pi n this checklis at those answe tall a tran	that ask you to describe rs on this page. usfer spout for load
project and site. Ther aspects of your propo The purpose of t cement clinker i	re are several questions later in psal. You do not need to repeat this project is to ins	ncluding the properties of this checklist those answertall a transper cars.	that ask you to describe rs on this page. sfer spout for load A diverter gate,
project and site. Ther aspects of your propo The purpose of t cement clinker i and spout with a bucket elevator	re are several questions later in the sal. You do not need to repeat this project is to instanto closed railroad has integral dust coller on the south side of	ncluding the properties of the clinker the clinker	that ask you to describe rs on this page. sfer spout for load A diverter gate, be added to an exist shed. The bucket
project and site. There aspects of your proportion of the purpose of the cement clinker is and spout with a bucket elevator elevator is current.	re are several questions later in sal. You do not need to repeat this project is to instant of closed railroad has integral dust collection the south side of mently used to transfer	ncluding the properties of the clinker stronger cars.	that ask you to describe rs on this page. sfer spout for load A diverter gate, we added to an exist shed. The bucket stored in the shed
project and site. There aspects of your propose of the purpose of the cement clinker is and spout with a bucket elevator elevator is currelevated conveyor	re are several questions later in sal. You do not need to repeat this project is to instant closed railroad has integral dust coller on the south side of mently used to transfer belt for transport	ncluding the properties at those answer tall a transper cars. ctor will be the clinker of the clinker stores to the clinker stores.	that ask you to describe rs on this page. sfer spout for load A diverter gate, e added to an exist shed. The bucket stored in the shed to ker silos. The div
project and site. There aspects of your propose of the purpose of the cement clinker is and spout with a bucket elevator elevator is currectly at a conveyor gate will as necession.	re are several questions later in sal. You do not need to repeat this project is to instant oclosed railroad has integral dust colle on the south side of cently used to transfer or belt for transport accessary, direct the formal of the south side	ncluding the properties of the clinker of the clink	that ask you to describe rs on this page. sfer spout for load A diverter gate, we added to an exist shed. The bucket stored in the shed the shed at 250 TPH interest in the shed at 250 TPH i
project and site. There aspects of your propose of the purpose of the cement clinker is and spout with a bucket elevator elevator is currelevated conveying gate will as necessaril car. The conveying	re are several questions later in sal. You do not need to repeat this project is to instant closed railroad has integral dust colle on the south side of cently used to transfer belt for transport accessary, direct the facilinker diverted into	ncluding the properties at those answer tall a transper cars. ctor will be the clinker of the clinker stooms to the clinker stooms to the clinker stooms to the spout in the	that ask you to describe rs on this page. Isfer spout for load A diverter gate, be added to an exist shed. The bucket stored in the shed to ker silos. The diversal at 250 TPH into s gravity fed into
project and site. There aspects of your propose of the purpose of the cement clinker is and spout with a bucket elevator elevator is currelevated conveying gate will as necessaril car. The casualting railcar	chis project is to institute of the south side o	ncluding the part of those answer tall a transper cars. It is clinker to the clinker to the clinker to the spout in the spout in the character to the spout in the character than the characte	sfer spout for load A diverter gate, we added to an exist shed. The bucket stored in the shed where silos. The diverter gate at 250 TPH into gate, and spout with the spout with the shed into gate, and spout with the
project and site. There aspects of your propose of the purpose of the cement clinker is and spout with a bucket elevator elevator is currelevated conveying gate will as necessaril car. The calculations and rail car and care enclose the clines.	re are several questions later in sal. You do not need to repeat this project is to instant closed railroad has integral dust colle on the south side of cently used to transfer belt for transport accessary, direct the facilinker diverted into the bucket elevators are to prevent fugitions.	ncluding the properties at those answer tall a transper cars. ctor will be the clinker of the clinker stoom the clinker to the clinker to the clinker to the spout in the spout in the clinker to the spout in the clinker the clinke	sfer spout for load A diverter gate, and and the shed to an exist shed. The bucket tored in the shed the shed at 250 TPH into a gate, and spout wission generated by
project and site. There aspects of your proportion of the purpose of the cement clinker is and spout with a bucket elevator elevator is currelevated conveying at a will as necessaril car. The case awaiting railcar enclose the climestarial transfers	chis project is to institute of the south side o	ncluding the part of those answer tall a transper cars. It is clinker to the clinker to the clinker the spout in the spout in the clinker the spout in the spout	sfer spout for load A diverter gate, we added to an exist shed. The bucket stored in the shed ker silos. The diversal at 250 TPH in s gravity fed into gate, and spout we ssion generated by egral part of the

12.	Location of the proposal. Give sufficient information for a person to understand the precise
	location of your proposed project, including a street address, if any, and section, township, and
	range, if known. If a proposal would occur over a range of area, provide the range or boundaries
	of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if
.,;	reasonably available. While you should submit any plans required by the agency, you are not
	required to duplicate maps or detailed plans submitted with any permit applications related to this
	checklist.

The location	is at	the Ash G	rove	Cement	t Plant,	-3801 E.	Margina.	l·Way
South, Seattle	e, WA	98134 on	the	south	side of	the exis	ting cl	inker
shed.		кр. ²⁶ (5. кіз	· · · ,					
	B 7				4.		<u>.</u> •:	
· · · · · · · · · · · · · · · · · · ·		į						

B. _ ENVIRONMENTAL ELEMENTS

1.			
1		- 2	
	9.4	Ea	

- a. General description of the site (circle one) / Flat, folling, hilly, steep slopes, mountainous, other:
- b— What is the steepest slope on the site (approximate percent slope)?
- c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)?

 If you know the classification of agricultural soils, specify them and note any prime farmland.

 Hydraulic dredge fill overlying alluvial sands and silts with glacially consolidated sandy silt at considerable depth about 200 feet below the existing ground surface elevation.
- d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

NO

e. Describe the purpose, type, and approximate quantities of any filling or grading proposed. Indicate source of fill.

NONE

f. Could erosion occur as a result of clearing, construction or use? If so, generally describe.

NO.

g.- About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

Approximately 40% is presently impervious. this will remain unchanged.

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

None required, as it will only be necessary to install footings
for the chute support frame.

2. Alr

- a. What types of emissions to the air would result from the proposal (i.e., dust, automobile, odors, industrial, wood smoke) during construction and when the project is completed? If any, generally describe and give approximate quantities if known. Construction may generate minor amounts of fugitive dust during operation, dust generated by the transfer of material will be contained within the chute and controlled to below permitted levels at discharge by the fabric filter baghouse.
- b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

NO

c. Proposed measures to reduce or control emissions or other impacts to air, if any:

Process is vented by fabric filter dust collectors.

Water

- a. Surface:
 - Is there any surface water body on or in the immediate vicinity of the site (including yearround and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.
 - The Duwamish River flows along the west border of the plant site.
 - Will the project require any work over, In, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

 NO
 - 3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

NONE

4)	Will the proposal require surface water withdrawals or diversions? Give description, purpose, and approximate quantities if known.	general
	NO	
		· •.
1000 stola		•,
	SEC PARENTAL TABLE	
. 5)	Does the proposal lie within a 100-year floodplain? If so, note location on the site	plan.
	NO	•
6)	Does the proposal involve any discharges of waste materials to surface water describe the type of waste and anticipated volume of discharge.	s? If so,
	NO	
		<u>.</u> 1.
iri A A		
. Gr	round:	
1)	Will ground water be withdrawn, or will water be discharged to ground water general description, purpose and approximate quantities if known.	er? Give
	NO .	
1		
2)	Describe waste material that will be discharged into the ground from septic tank sources, if any (for example: domestic sewage; industrial, containing the chemicals; agricultural; etc.). Describe the general size of the systems, the results of the systems of the systems.	following
	such systems, the number of houses to be served (if applicable), or the number of humans the system(s) are expected to serve.	
	NONE	

- c. Water Runoff (including storm water):
 - Describe the source of runoff (Including storm water) and method of collection and disposal, if any (Include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.
 - Storm water runoff will continue to be collected in the existing plant storm water system.

		NO
		the control of a massive growth force and a control of the control
		en estado en la factoria de la companión de la
	d.	Proposed measures to reduce or control surface, ground, and runoff water Impacts, if any:
		NONE.
4.	Pla	ints
•	a.	Check or circle types of vegetation found on the site:
	•	X deciduous tree: alder, maple, aspen, other
1		X evergreen tree: fir, cedar, pine, other X shrubs
,	'n	X grass.
		pasture
		crop or grain wet soil plants: cattail, buttercup, bullrush, skunk cabbage, other
		water plants: water lily, eelgrass, milfoil, other
	? :	other types of vegetation
· .	b.	What kind and amount of vegetation will be removed or altered?
	•	NONE STATE OF THE PROPERTY OF
7	~;	ုန်ရန်ကို မြန်မာ့က မေရန်းရန်မာ စီလည်းကြွနေကြည်သည်။ များမေရီမေရာ ရုံးကောင်း မေ
	c.	List threatened or endangered species known to be on or near the site.
		NONE
		NONE
,		
	d.	Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:
		NONE
		TWO TO THE TANK THE T
5.	An	imals
	a.	Circle any birds and animals which have been observed on or near the site or are known to be on or near the site: NONE
		Birds: hawk, heron, eagle, songbirds, other:
- ā		

the decrease overlay planted beautiful riches before the decrease of the contract of the contr

٠.,	Mammals: deer, bear, elk, beaver, other:
	Fish: bass, salmon, trout, herring, shellfish, other:
b.	List any threatened or endangered species known to be on or near the site.
-	NONE
c.	Is the site part of a migration route? If so, explain.
3	NO
d.	Proposed measures to preserve or enhance wildlife, if any:
·	NONE
	The state of the second of
En	ergy and Natural Resources
a.	What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.
÷	Electricity to power dust collector fan.
b.	Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.
	NO .
c.	What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:
	NONE

7	Environme	_a_t11!aL
/	⊢ n\/ir∩nma	וזובסא וכזח

a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.

Exposure to fugitive dust.

- Describe special emergency services that might be required.
 NONE
- 2) Proposed measures to reduce or control environmental health hazards, if any: Fugitive dust will be controlled by fabric filter dust collectors.
- b. Noise
 - 1) What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?

Various types of heavy machinery are located at the plant site.

2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site.

No perceivable increase in noise generation is expected during construction. A minor increase may be perceived at the loaction during operation.

Proposed measures to reduce or control noise impacts, if any:
 NONE

what is the currer Heavy manufact Has the site been NO Describe any stru Site contains raw material building, mot	used for agricultures on the sis a 14 foot silos, raw	Ulture? If the diamet mill b	so, descri	ibe. nt kiln	, 260 f	∞t tal buildin	g, pack	house
Heavy manufact. Has the site been NO Describe any stru Site contains raw material building, mot	used for agricustures on the sis a 14 foot silos, raw	Ulture? If the diamet mill b	so, descri	ibe. nt kiln	, 260 f	∞t tal buildin	g, pack	house
Describe any stru Site contains raw material building, mot	used for agricustures on the sis a 14 foot silos, raw	iture? If tte. diamet mill b	so, descri	ibe. nt kiln , finis	, 260 f	∞t tal buildin	g, pack	house
NO Describe any stru Site contains raw material building, mot	ctures on the s a 14 foot silos, raw	ite. diamet mill b	er cemen	nt kiln	, 260 f	∞t tal buildin	g, pack	house
NO Describe any stru Site contains raw material building, mot	ctures on the s a 14 foot silos, raw	ite. diamet mill b	er cemen	nt kiln	, 260 f	∞t tal buildin	g, pack	house
NO Describe any stru Site contains raw material building, mot	ctures on the s a 14 foot silos, raw	ite. diamet mill b	er cemen	nt kiln	, 260 f	∞t tal buildin	g, pack	house
Describe any stru Site contains raw material building, mot	a 14 foot silos, raw	diamet mill b	er cemen ouilding	nt kiln , finis	, 260 f	∞t tal buildin	g, pack	house
Site contains raw material building, mot	a 14 foot silos, raw	diamet mill b	er cemen ouilding	nt kiln , finis	, 260 f	∞t tal buildin	g, pack	house
Site contains raw material building, mot	a 14 foot silos, raw	diamet mill b	er cemen ouilding	nt kiln , finis	, 260 f	∞t tal buildin	g, pack	house
Site contains raw material building, mot	a 14 foot silos, raw	diamet mill b	er cemen ouilding	nt kiln , finis	, 260 f	∞t tal buildin	g, pack	house
raw material building, mot	silos, raw	mill b	uilding	, finis	h mill	buildin	g, pack	house
	17.74				ce, and	sales	office	build
	1.000		7, 7%	* - ' ,				
Will any structure:	s be demolished	d? If so	what?					
NO		J. 1100,		· .	and the	ARACH S		S. Tel
								-6-072
odrác Actuar of a tage to	relation of the property and the last	ر در انداز	er se in el Pare la	e de la composición dela composición dela composición de la composición dela composición dela composición de la composición de la composición de la composición dela com		i de la		
	ALC: NEWS		AResenter	1000 450				. :
*					:		:	·
	***						•	
	What is the curre	What is the current zoning classi	to is de liver of the contract of the property of the contract	What is the current zoning classification of the site?	What is the current zoning classification of the site?	What is the current zoning classification of the site?	What is the current zoning classification of the site?	What is the current zoning classification of the site?

g. If applicable, what is the current shoreline master program designation of the site?

Urban Industrial (UI)

	has any part of the s	ne been classine	das an environn	nentally sensitive" area? If	so, specity.
	·NO				÷ .
		* -			
			100		.3
• •	*		. •		:
įl.	Approximately how n	nany people wot	uld reside or work	In the completed project?	
	NONE			747	ļ. ·
	WONE			4	
٠				文件 16.5 d 数1.5 miles	
	305				
j.	Approximately how r	nany people wol	aid the completed	i project displace?	
	NONE	₩.			
٠.			72 T 132		· · ·
	465 4455 D			elet tu like and a series and	
. •			27/24 AV	在外域的基本的	
k.	Proposed measures	to avoid or redu	ce displacement l	Impacts, if any:	C- 12 (4)
• •		CALLSON			
	NOT APPLICABLE				
		Spanich white	orumnoscenia con-	นายโรคแน่งเหตุการแรกระทั่ง	
٠.	and the second		4.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	Commence of Day.	
				* 101 * 101	
1.			proposal is comp	patible with existing and p	projected land
	uses and plans, if an	у:	3755 +	Å.	
	NOT APPLICABLE				*
	,	: * : : : : : : : : : : : : : : : : : :			
					* · · · ·
	,		· ·	4.5 5.55	* '
2	** ** · · · · ·			e egill Allin e e gelle e e e	
,			, 1 "	and the second second	
	ouain a		•	*	
11.	ousing			,	
Ho					
Ho a.			d be provided, if	any? Indicate whether hi	gh, middle, or
a.	low-income housing.		d be provided, if	any? Indicate whether hi	gh, middle, or
a.			d be provided, if	any? Indicate whether hi	gh, middle, or
a.	low-income housing.		d be provided, if	any? Indicate whether hi	gh, middle, or
a.	low-income housing.		d be provided, if	any? Indicate whether hi	gh, middle, or
a.	low-income housing.		d be provided, if	any? Indicate whether hi	gh, middle, or
a.	low-income housing.		in the same		
a.	low-income housing.	many units, if an	in the same	any? Indicate whether hi	
a .	low-income housing. NOT APPLICABLE Approximately how ror low-income housing.	many units, if an	in the same		
a. b.	low-income housing. NOT APPLICABLE Approximately how r	many units, if an	in the same		
a .	low-income housing. NOT APPLICABLE Approximately how ror low-income housing.	many units, if an	in the same		

9.

		-							38.5		
		NOT AF	PPLICABLE	· · · · · · · · · · · · · · · · · · ·					* %		
										.:	
		٠									
		1200		1.17	Carlot H			gi. 1447-y	r_{i_1} r_{i_2} r_{i_3}		
				:				*			٠٠
1,0	0. A	esthetics			٠.				•		•
	٠.	. What is	the talles	t height	of any n	oposed s	nucture(s	, not inclu	dina anter	nnas: w	hat is t
•		princip	al exterior	building	material(s	proposed	1?		3		
		•	Call Street	松竹		14416	P. CAN		35		
•		72 fee	t corrug							,	•
· ·				٠.		50					
		M/hot v	louis la tha	immodi	to vicinity	would be	altered or	obstructed	₹2		- 1
31.1). What v	iews in the	mmedia	ate vicanty	· ·	anerea or	ODSTIGOTOR			
SVATE		NONE	7.0552.6	(4) 重制	FREE SO	ku silat.	hMali		Side 1	la dia	
31.47									11 10 10 10	, ; , , g	
		200				e di ter		10.000			14.
: · :		Propos	sed measur	es to rec	duce or co	ntrol aestl	etic impa	cts, if any:			1
		NOT AP	PLICABLE				**. *		•		
uf.a ⁿ i,		40 4 3 1		Minus.		ි ක්රීක් මෙලි.	stitle publicati	are sayin	1-1,214-4		
				1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-1233	2 11 12 10 10	11 12 12 12	7 7 5 7 7 7 1	11.0	
- 11				200 200 200		12.	714	The office	1-1400		
- 10				3.02.00.096		13,	411	En Ph			
- 11 =				i semen		13,	711	Einer et Ge	1-14-050		
- 113	•	ight and (Blaro	1. 500.09			711			*,	
1		light and (1. 200.09							
1				or glare	will the p	oposal pr	oduce? V	Vhat time o	day would	d it mair	nly occ
1		 What t		or glare	will the p	oposal pr	oduce? V	Vhat time o	day would	d it mair	nly occ
1				or glare	will the pi	oposal pr	oduce? V	Vhat time o	day would	d it mair	nly occ
1		 What t		or glare	will the pi	oposal pr	oduce? V	Vhat time o	day would	d it mair	nly occ
1		MonE	ype of light						·	R	i
1		NONE Could	ype of light					vhat time o	·	R	
1		MonE	ype of light						·	R	i
1		NONE Could	ype of light						·	R	,
1		NONE Could	ype of light light or gla	re from t	he finished	d project b	- e a safety	hazard or	interfere w	R	
1		NONE Could	ype of light light or gla	re from t	he finished	d project b	- e a safety		interfere w	R	
1		NONE Could	ype of light light or gla	re from t	he finished	d project b	- e a safety	hazard or	interfere w	R	
1		NONE C. What to	ype of light light or gla	re from t	he finished	d project b	- e a safety	hazard or	interfere w	R	

:

					-	
NOT APLICABLE				4 3		•
	(*)					
						• •
			in in	·	•	
						**
						-
12. Recreation				Tributation to	6 <u>4</u> 1	١.
			2.0	and the beautiful and the		
a. What designated and informa	i recreational	opportunitie:	s are in the	immediate v	ricinity?	
	f.		'	·····································		
NONE				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
			•			
	·					
b. Would the proposed project of	displace any e	xisting recre	ational use	es? If so, des	scribe.	
Construction of the control of the control of	A CONTRACTOR OF THE PARTY OF TH	as the refit	7	emio sás a	1000	
NO NO				00.00 14 19 19 19 19 19 19 19 19 19 19 19 19 19		
		C SE SE	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		454	1
萨斯斯 网络克拉斯斯 电影为心器	34 2 2 3 3 4	selfa aithu-		ditamenti.		
				en la referencia		P. July
c. Proposed measures to red	tuce or con	trol impacts	on recr	eation incl	idina re	crea
opportunities to be provided in	by the project	or applicant	if any:	canon, more	ionig io	Cica
electerist continuently by it species	Alexandra de	A has theed	The Control	i ter services	(Egg)	2.4
NØT APPLICABLE	RATE EX					
			14	出年3年"		•
					•	·
				,	20	. "
			• •			
		9				
13. Historic and Cultural Preservation	• ·					
10. (A Pristorio dila Containi Teservanon				# jk #		
a. Are there any places or object	ets listed on, c	r proposed f	for nation	al. state. or lo	ocal pres	serva
registers known to be on or n					,	
				•		
NO.					•	
				,		
			•	*		
		_				
b. Generally describe any landm	narke or ovido	nce of histor	ic archae	ological scie	entific o	r culti
importance known to be on o			nc, archae	ological, scie	munic, or	Culti
	THEAT TO THE S			*		
NONE			*			
* * *			٠,	·		
, , ·	-	•			. ,	
AND THE PROPERTY OF THE PROPER	2 (25)			rene dist	A 2.3	
THE PERSON NOT A REST WITH S			A KEE	1 K. 20 SEC 1803 THE		
0 0-2		SAL CHINERALISE	or statement	Signation		

d. Proposed measures to reduce or control light and glare impacts, if any:

c. Proposed measures to reduce or control Impacts, if any:

NOT APPLICABLE

14. Transportation

a. Identify public streets and highways serving the site, and describe proposed access to the existing street system. Show on site plans, if any.

East Marginal Way located on the east side of the plant. Access is by of an existing drive entrance at the northeast corner of the property.

b. Is site currently served by public transit? If not, what is the approximate distance to the nearest transit stop?

No, closest transit stop is 1000 feet away.

c. How many parking spaces would the completed project have? How many would the project eliminate?

Current levels will not change.

d. Will the proposal require any new roads or streets, or improvements to existing roads or streets, not including driveways? If so, generally describe (indicate whether public or private).

NO

7.7

e. Will the project use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

Rail transportaiton of closed hopper cars.

f. How many vehicular trips per day would be generated by the completed project? If known, indicate when peak volumes would occur.

There should be no noticable increase in railcar traffic to and from the site.

g. Proposed ma	easures to reduce or cont	rol transportation Impa	acts, if any:	
NONE		i distriction	- 6 G - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	ed trains and a	Marian Commence	et in the same of	ing)
	en e		19. 1. A. 15. 14. 14. 14. 14. 14. 14. 14. 14. 14. 14	
15. Public Services				5.5.65
a. Would the p police protec	roject result in an increas ction, health care, schools	ed need for public ser , other)? If so, genera	vices (for example, fire	protection,
NO	H	·		
4	T. J. Harris	And were the second	New York	
b. Proposed m	easures to reduce or cont	rol direct impacts on p	public services, if any.	
NOT APPLIC	ABLE			
10.65	kādrāk Lakstur, 1703.	gjerja, gjang, koj.,	cara bed year file.	9.5.
4C Hellaton				
16. Utilities a. Circle utilitie	s currently available at t	he site: electricity, r	natural gas, water, refu	ise service,
	anitary sewer, septic syste			
	e utilities that are propos the general construction eded.			
NONE		e:		
•			·	
		,		
C. SIGNATURE				
	are true and complete to them to make its decision		rledge. I understand th	nat the lead
/		1// {		
Signature:	eald (N	(down		
Date Submitted:	2/18/94	· .		

D. SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS

(Do not use this sheet for project actions)

Because these questions are very general, it may be helpful to read them in conjunction with the list of the elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

1. How would the proposal be likely to increase discharge to water; emissions to air; production, storage, or release of toxic or hazardous substance; or production of noise?

Small amounts of dust way be emitted from the baghouse. Transfer of material in the chute may produce a slight increase in noise levels at the location only.

Proposed measures to avoid or reduce such increase are:

A fabric filter dust collector will be installed at the discharge end of the chute. Transfered material will be completely enclosed by the chute and at transfer points.

2. How would the proposal be likely to affect plants, animals, fish, or marine life?

The porposal will have negligable impact.

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

NOT APPLICABLE

How would the proposal be likely to deplete energy or natural resources?

Negligiable increase in power consumption need to operated the dust collector.

Proposed measures to protect or conserve energy and natural resources are:

NONE

4.	How would the proposa	al be likely to u	use or affect	environmer	ntally sensitiv	e areas or	areas
	designated (or eligible or and scenic rivers, threat floodplains, or prime farm	ened or endange					
	NOT APPLICABLE	*				.a.	
						7	
	Proposed measures to pr	rotect such resou	irces or to av	old or reduc	e impacts are:	;	
	NOT APPLICABLE				1		
	NOT APPLICABLE	٠,	.e. "				
		5 .		· / .			
5	How would the proposal	ha lively to affect	lland and sh	oreline use i	ncluding who	ther it would	Lallow
	or encourage land or sho					trici it would	·
	·		•			· . ·	
	NOT APPLICABLE						·
					A Pearling	W She	:
			# 1 * 1	14.4 14.4 14.4 14.4 14.4			30.1
	Proposed measures to av	void or reduce sh	oreline and I	and use Impa	icts are:		
	NOT APPLICABLE	17 B			Bergest, F	- A 4-	Gallery.
		<u> </u>				* E	
		- PEN-19-19-1			. J	1000	9
6.	How would the proposal	be likely to incr	ease deman	ds on transc	ontation or n	ublic service	s and
:	utilitles?						
					* * *		··.
	No increase in dema	and on transp	cortation,	public s	ervices, c	r utiliti	es.
18	•	•				·	•
	<u> </u>		. , .				
	Proposed measures to re	duce or respond	to such dem	nand(s) are:		•	
	NOT APPLICABLE						
7.	Identify, if possible, who	ether the propo ection of the envi	sal may co ronment. /	nflict with lo	ocal, state, o	r federal la	ws or
	DOES NOT APPLY						

これを大きいないないないないとということなっているということにいい





